



# VIPER MKII WIRE ROPE LUBRICATORS







The Viper MKII Wire Rope Lubricator range provides fast and effective cleaning and lubricating of wire ropes. Wire ropes from 6mm (1/4") to 165mm (6-1/2") in diameter can be greased at speeds up to 2,000 meters per hour.

## VIPER WRL VARIANTS



#### Viper Maxi MKII


Suitable for wire ropes between 50mm to 165mm


#### Viper Mid MKII

Suitable for wire ropes between 6mm to 67mm

#### Viper Mini MKII

Suitable for wire ropes between 6mm to 36mm







Environmental benefit with less lubricant used and discarded into the environment





## **HEALTH SAFETY ENVIRONMENT BENEFITS**

The Viper WRL was developed with safety and the environment in mind. When used correctly the Viper WRL has several Health, Safety and Environment benefits.



Every gram of grease goes on the rope



Does not leak meaning no mess



Light weight allows for safe application



with the lubricant

No wasted lubricant



The rope can be lubricated

There is no direct contact

from a safe distance

### THE VIPER SEAL

#### WHAT MAKES THE VIPER WRL SEAL SO SPECIAL

The unique Viper seal design is at the heart of the Viper WRL package. The selected polyurethane material is wear resistant to ensure long service life but still flexible enough to mould to the rope. This flexibility helps reduce leakage but more importantly massages the lubricant into the rope, thus increasing penetration of the lubricant and the protection from corrosion that this provides. Other wire rope lubricators tend to simply coat the outside of the rope. The length of the Viper Mid and Maxi collar / seal combination also increase the dwell time that the rope has with the lubricant, which also helps with application and ultimately leads to longer rope life and extended lubrication intervals.

Viper seals are proven to have lasted for > 15,000 meters of rope.



#### **WATCH HOW IT WORKS**





**ORDER YOUR VIPER AT:** 

